ANALYTICA CHIMICA ACTA, VOL. 268 (1992)

AUTHOR INDEX

Ahel, M.
—, Evans, K.M., Fileman, T.W. and Mantoura, R.F.C.
Determination of atrazine and simazine in estuarine samples by high-resolution gas chromatography and nitrogen selective detection 195
Ares, J.
UVDECODE: An algorithm for direct extraction and analysis of environmental polycyclic aromatic hydrocarbons with derivative UV spectrophotometry 135
Ariga, T., see Yamashoji, Y. 39
Asano, S., see Yamashoji, Y. 39
Avsec, H.
— and Gomišček, S.
A study of the prospects for a ciprofloxacin PVC coated wire ion-selective electrode based on 4-quinolones 307

Bark, L.S.
— and Sumardi,
Rapid enthalpimetric method for the determination of thiol compounds in petroleum oils 171
Beyer, W., see Mayer, D. 315
Boeden, B., see Henrion, G. 115
Bosch-Reig, F., see Campíns-Falcó, P. 73
Branica, M., see Zelić, M. 275
Brinkman, U.A.Th., see Hogendoorn, E.A. 205
Brinkman, U.A.Th., see Slobodnik, J. 55
Brouwer, E.R., see Slobodnik, J. 55

Campíns-Falcó, P.
—, Bosch-Reig, F., Herráez-Hernández, R. and Sevillano-Cabeza, A.
Determination of theophylline and paraxanthine in urine samples by liquid chromatography using the H-point standard additions method 73
Cano Pavón, J.M., see Jimena García, J.A. 153
Casassas, E., see Puy, J. 261
Chang, X., see Su, Z. 323
Chen, S.-H., see Wu, S.-M. 255
Cserháti, T., see Kálmán, F. 247
Cui, H., see Jin, W. 301

Dasgupta, P.K., see Liu, S. 1
Dauphin, C., see Lati, E. 163
Díaz-Cruz, J.M., see Puy, J. 261
Ding, C., see Jin, W. 185

Eltayeb, M.A.H.
— and Van Grieken, R.E.
Coprecipitation with aluminium hydroxide and x-ray fluorescence determination of trace metals in water 177
Esteban, M.
—, Ruisánchez, I., Larrechi, M.S. and Rius, F.X.
Expert system for the voltammetric determination of trace metals. Part I. Determination of copper, zinc, cadmium, lead and indium 95
—, Ruisánchez, I., Larrechi, M.S. and Rius, F.X.
Expert system for the voltammetric determination of trace metals. Part II. Methods for determining nickel, cobalt and thallium at different concentration ratios 107
Esteban, M., see Puy, J. 261
Evans, K.M., see Ahel, M. 195

Fang, Y., see Jin, L. 159
Fileman, T.W., see Ahel, M. 195
Franzke, H., see Wilke, S. 285

Gao, Z., see Jin, W. 185
Geerdink, R.B., see Slobodnik, J. 55
Giménez Plaza, J., see Jimena García, J.A. 153
Gomišček, S., see Avsec, H. 307
Granacher, S., see Van Loon, L.R. 235

Hammerich, O., see Sakslund, H. 331
Hamon, M., see Lati, E. 163
Harduf, H., see Van Loon, L.R. 235
Hase, U., see Yoshimura, K. 225
Haubenwallner, S., see Mayer, D. 315
He, F.J., see Yao, S.Z. 311
Hebisch, R., see Henrion, G. 115
Henrion, G.
—, Henrion, R., Hebisch, R. and Boeden, B.
Multivariate correction of chemical interferences in hydride generation atomic absorption spectrometry 115
Henrion, R., see Henrion, G. 115
Herráez-Hernández, R., see Campíns-Falcó, P. 73
Hogendoorn, E.A.
—, Verschraagen, C., Brinkman, U.A.Th. and Van Zoonen, P.
Coupled column liquid chromatography for the trace determination of polar pesticides in water using direct large-volume injection: method development strategy applied to methyl isothiocyanate 205

Inokura, Y., see Yoshimura, K. 225

Jimena García, J.A.
—, Giménez Plaza, J. and Cano Pavón, J.M.
Determination of active components in insecticide formulations by derivative ultraviolet spectrophotometry 153

Jin, L.
—, Zhu, H., Xu, T., Tong, W., Zhou, W. and Fang, Y.
Indirect determination of arginine by graphite furnace atomic absorption spectrometry after preconcentration on a Nafion chemically modified tungsten coil 159
Jin, W.
—, Cui, H. and Wang, S.
Linear potential sweep adsorption voltammetry for a reversible interfacial reaction: comparison of conventional and derivative measuring techniques 301
—, Zhao, X., Ding, C., Wang, F. and Gao, Z.
Investigations in bioanalytical chemistry. Part II. Differential-pulse adsorption voltammetry of bilirubin 185
Jin, W., see Zhao, J. 293

Kálmán, F.
—, Cserháti, T., Valkó, K. and Neubert, K.
Relationships between the reversed-phase liquid chromatographic retention characteristics and physico-chemical parameters of some β-casomorphin peptides 247
Kateman, G., see Li, T.-H. 123
Keller, H.R., see Kokot, S. 81
Khuhawar, M.Y.
— and Soomro, A.I.
Liquid and gas chromatographic procedures for the simultaneous determination of copper, nickel and palladium using tetradentate Schiff bases as complexing agents 49
King, G., see Kokot, S. 81
Kokot, S.
—, King, G., Keller, H.R. and Massart, D.L.
Application of chemometrics for the selection of microwave digestion procedures 81
Kolev, S.D.
— and Van der Linden, W.E.
Mathematical modelling of a flow-injection system with a membrane separation module 7
Kosmus, W., see Mayer, D. 315

Landgraf, M.D., see Trevelin, W.R. 67
Larrechi, M.S., see Esteban, M. 107, 95
Lati, E.
—, Dauphin, C., Hamon, M. et Silvestre, M.
Comportement de mélanges d'acides aminés et de peptides vis-à-vis du cuivre(II). Application à l'analyse d'hydrolysats de caséine 163
Li, T.-H.
—, Lucasius, C.B. and Kateman, G.
Optimization of calibration data with the dynamic genetic algorithm 123
Lingeman, H., see Slobodnik, J. 55
Liu, S.
— and Dasgupta, P.K.
Flow-injection analysis in the capillary format using electroosmotic pumping 1
Lucasius, C.B., see Li, T.-H. 123
Lunar, M.L.
—, Rubio, S. and Pérez-Bendito, D.
Analytical potential of the interaction between triiodide ion and hexadecylpyridinium chloride micelles in an aqueous medium 145
Luo, X., see Su, Z. 323

Mantoura, R.F.C., see Ahel, M. 195
Martínez-Lozano, C., see Sánchez-Palacios, A. 217
Martín Herrera, J.L., see Sagrado Vives, S. 29
Marty, J.-L., see Rouillon, R. 347
Mas, F., see Puy, J. 261
Massart, D.L., see Kokot, S. 81
Matsuoka, S., see Yoshimura, K. 225
Mayer, D.
—, Haubenwallner, S., Kosmus, W. and Beyer, W.
Modified electrical heating system for hydride generation atomic absorption spectrometry and elaboration of a digestion method for the determination of arsenic and selenium in biological materials 315
Medina Hernández, M.J., see Sagrado Vives, S. 29
Mionetto, N., see Rouillon, R. 347
Mulder, W.H., see Slobodnik, J. 55
Müller, H., see Wilke, S. 285

Neubert, K., see Kálmán, F. 247
Nie, L.H., see Yao, S.Z. 311

Pérez-Bendito, D., see Lunar, M.L. 145
Pérez-Ruiz, T., see Sánchez-Palacios, A. 217
Puy, J.
—, Mas, F., Díaz-Cruz, J.M., Esteban, M. and Casassas, E.
Induced reactant adsorption in metal–polyelectrolyte systems: pulse polarographic study 261

Ramis Ramos, G., see Sagrado Vives, S. 29
Rao, C.R.M.
—, Reddi, G.S. and Rao, T.A.S.
Acid decomposition procedure for the spectrophotometric determination of silica in rocks and minerals at room temperature 357
Rao, T.A.S., see Rao, C.R.M. 357
Reddi, G.S., see Rao, C.R.M. 357
Rezende, M.O.O., see Trevelin, W.R. 67
Rius, F.X., see Esteban, M. 107, 95
Rouillon, R.
—, Mionetto, N. and Marty, J.-L.
Acetylcholine biosensor involving entrapment of two enzymes. Optimization of operational and storage conditions 347
Rubio, S., see Lunar, M.L. 145
Ruisánchez, I., see Esteban, M. 107, 95

Sagrado Vives, S.
—, Medina Hernández, M.J., Martín Herrera, J.L. and Ramis Ramos, G.
Spectrophotometric measurement of pH gradients in continuous-flow systems 29

Saito, T.
Spectrophotometric determination of traces of iron using a poly(vinyl chloride) membrane containing bathophenanthroline 351
Sakslund, H.
— and Hammerich, O.
Effects of pH, temperature and reaction products on the performance of an immobilized creatininase–creatinase–sarcosine oxidase enzyme system for creatinine determination 331
Sánchez-Palacios, A.
—, Pérez-Ruiz, T. and Martínez-Lozano, C.
Determination of diquat in real samples by electron spin resonance spectrometry 217
Sevillano-Cabeza, A., see Campíns-Falcó, P. 73
Silva, I.C.E., see Trevelin, W.R. 67
Silvestre, M., see Lati, E. 163
Slobodnik, J.
—, Brouwer, E.R., Geerdink, R.B., Mulder, W.H., Lingeman, H. and Brinkman, U.A.Th.
Fully automated on-line liquid chromatographic separation system for polar pollutants in various types of water 55
Soomro, A.I., see Khuhawar, M.Y. 49
Su, Z.
—, Chang, X., Xu, K., Luo, X. and Zhan, G.
Efficiency and mechanism of macroporous poly(vinylthiopropionamide) chelating resin for adsorbing and separating noble metal ions and determination by atomic spectrometry 323
Sumardi, , see Bark, L.S. 171
Sun, D., see Zhao, J. 293

Tanaka, M., see Yamashoji, Y. 39
Tong, W., see Jin, L. 159
Trevelin, W.R.
—, Vidal, L.H., Landgraf, M.D., Silva, I.C.E. and Rezende, M.O.O.
Optimization of parameters for the gas chromatographic determination of polycyclic aromatic hydrocarbons 67

Valkó, K., see Kálmán, F. 247
Van der Linden, W.E., see Kolev, S.D. 7
Van Grieken, R.E., see Eltayeb, M.A.H. 177
Van Loon, L.R.
—, Granacher, S. and Harduf, H.
Equilibrium dialysis–ligand exchange: a novel method for determining conditional stability constants of radionuclide–humic acid complexes 235
Van Zoonen, P., see Hogendoorn, E.A. 205
Verschraagen, C., see Hogendoorn, E.A. 205
Vidal, L.H., see Trevelin, W.R. 67

Wang, F., see Jin, W. 185
Wang, S., see Jin, W. 301
Wilke, S.
—, Franzke, H. and Müller, H.
Simultaneous determination of nitrate and chloride by means of flow-injection amperometry at the membrane-stabilized water/nitrobenzene interface 285
Wu, H.-L., see Wu, S.-M. 255
Wu, S.-M.
—, Chen, S.-H. and Wu, H.-L.
Determination of betamethasone and dexamethasone by derivatization and liquid chromatography 255

Xu, K., see Su, Z. 323
Xu, T., see Jin, L. 159

Yamashoji, Y.
—, Ariga, T., Asano, S. and Tanaka, M.
Chiral recognition and enantiomeric separation of alanine β-naphthylamide by cyclodextrins 39
Yao, S.Z.
—, He, F.J. and Nie, L.H.
Piezoelectric determination of traces of thiourea 311
Yoshimura, K.
—, Matsuoka, S., Inokura, Y. and Hase, U.
Flow analysis for trace amounts of copper by ion-exchanger phase absorptiometry with 4,7-diphenyl-2,9-dimethyl-1,10-phenanthroline disulphonate and its application to the study of karst groundwater storm runoff 225

Zelić, M.
— and Branica, M.
Influence of anion-induced adsorption on the polarographic/voltammetric determination of stability constants 275
Zhan, G., see Su, Z. 323
Zhao, J.
—, Sun, D. and Jin, W.
Adsorption voltammetry of the copper– 4-[(4-diethylamino-2-hydroxyphenyl)azo]- 5-hydroxynaphthalene-2,7-disulphonic acid (Beryllon III) system 293
Zhao, X., see Jin, W. 185
Zhou, W., see Jin, L. 159
Zhu, H., see Jin, L. 159